

Printing date 10/03/2018

Version number 24

Reviewed on 09/27/2018

1 Identification

- · Product identifier
 - · Product number HTMB066
 - · Trade name: KLIMA UNICO CLEAR 10SHN SELFSEAL
 - · Application of the substance / the mixture For professional use
- · Details of the supplier of the safety data sheet
 - · Manufacturer/Supplier:

IVM Chemicals srl

Viale della Stazione 3 - 27020 Parona (PV) Italy tel +39 038425441

1.3.2 Importer

Name I.C.& S. DISTRIBUTING CO. Address P.O.BOX 10845

LANCASTER. PA

USA

E-Mail: nelson@ics-company.com

· Information department:

Environmental Health and safety office

hseoffice@ivmchemicals.com

· Emergency telephone number: 001 813-248-0585

2 Hazard(s) identification

· Classification of the substance or mixture



GHS07

Skin Sens. 1 H317 May cause an allergic skin reaction.

Aquatic Acute 3 H402 Harmful to aquatic life.

- · Label elements
 - · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



- · Signal word Warning
- · Hazard-determining components of labeling:

Mixture of alpha-3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyl-omega-hydroxypoly(oxyethylene) and alpha-3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyl-omega-3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyloxypoly(oxyethylene)

3-lodo-2-propynylbutylcarbamate

1,2-benzisothiazol-3(2H)-one

· Hazard statements

H317 May cause an allergic skin reaction.

H402 Harmful to aquatic life.

· Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapors/spray

P273 Avoid release to the environment.

P280 Wear protective gloves.

(Contd. on page 2)



Printing date 10/03/2018

Version number 24

Reviewed on 09/27/2018

Product number HTMB066

Trade name: KLIMA UNICO CLEAR 10SHN SELFSEAL

(Contd. of page 1)

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P363 Wash contaminated clothing before reuse.

P501 Dispose of contents/container in accordance with local/regional/national/

international regulations.

· Classification system:

· NFPA ratings (scale 0 - 4)



Health = 0 Fire = 1 Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 0 Fire = 1

Reactivity = 0

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture: consisting of the following components.

| · Dangerou | as components: | |
|------------|--|-------------|
| 34590-94-8 | Dipropylene glycol monomethyl ether Flam. Liq. 4, H227 | 1-<5% |
| 111-76-2 | 2-butoxyethanol Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2A, H319 Flam. Liq. 4, H227 | 1-2.49% |
| | Mixture of alpha-3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyl-omega-hydroxypoly(oxyethylene) and alpha-3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyl-omega-3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyloxypoly(oxyethylene) Aquatic Chronic 2, H411 Skin Sens. 1, H317 | ≥0.5-<1% |
| 55406-53-6 | 3-lodo-2-propynylbutylcarbamate Acute Tox. 3, H331 STOT RE 1, H372 Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=1) Acute Tox. 4, H302; Skin Sens. 1, H317 | ≥0.1-<0.259 |
| 121-44-8 | triethylamine Flam. Liq. 2, H225 Acute Tox. 3, H311; Acute Tox. 3, H331 Skin Corr. 1A, H314 Acute Tox. 4, H302 | ≥0.1-<0.5% |
| 55965-84-9 | a mixture of: 5-chloro-2-methyl-2 H -isothiazol-3-one [EC No 247-500-7] and 2-methyl-2 H -isothiazol-3-one [EC No 220-239-6] (3:1) Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330 Skin Corr. 1B, H314 Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=1) Skin Sens. 1A, H317 | <0.0015% |



Printing date 10/03/2018

Version number 24

Reviewed on 09/27/2018

Product number HTMB066

Trade name: KLIMA UNICO CLEAR 10SHN SELFSEAL

(Contd. of page 2)

4 First-aid measures

· Description of first aid measures

· General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

personal protective equipment for first aid responders is recommended. (please see section 8)

· After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: Do not induce vomiting; immediately call for medical help.
- · Information for doctor:
 - · Most important symptoms and effects, both acute and delayed
 For symptoms and effects caused by substances, refer to Section 11.
 - · Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

· Extinguishing media

· Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

· Advice for firefighters

Cool by spraying with water the containers to prevent product decomposition and the development of substances potentially hazardous for health and also, in the case of closed containers exposed to flames to prevent explosions.

· Protective equipment:

Hardhat with visor, fireproof clothing, suitable gloves and if necessary respiratory protective device.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Keep away from ignition sources

- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to Section 13.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

| | · PAC-1: | | |
|----|-----------|---|-----------------|
| 34 | 1590-94-8 | Dipropylene glycol monomethyl ether | 150 ppm |
| 25 | 265-77-4 | 2,2,4-Trimethyl-1,3-pentanediolmono(2-methylpropanoate) | 13 mg/m³ |
| | | (Co | ontd on page 4) |

td. on page 4



Printing date 10/03/2018

Version number 24

Reviewed on 09/27/2018

Product number HTMB066

Trade name: KLIMA UNICO CLEAR 10SHN SELFSEAL

| | | (Contd. of page | |
|------------|---|-----------------------|--|
| 7631-86-9 | silicon dioxide, chemically prepared | 18 mg/m³ | |
| 112-34-5 | 2-(2-butoxyethoxy)ethanol | 30 ppm | |
| 25322-69-4 | Propane-1,2-diol, propoxylated | 30 mg/m³ | |
| 55406-53-6 | 3-lodo-2-propynylbutylcarbamate | 3.3 mg/m ³ | |
| 121-44-8 | triethylamine | 1 ррт | |
| · PAC-2: | | | |
| 34590-94-8 | Dipropylene glycol monomethyl ether | 1700* ppm | |
| 25265-77-4 | 2,2,4-Trimethyl-1,3-pentanediolmono(2-methylpropanoate) | 140 mg/m ² | |
| 7631-86-9 | silicon dioxide, chemically prepared | 740 mg/m | |
| 112-34-5 | 2-(2-butoxyethoxy)ethanol | 33 ppm | |
| 25322-69-4 | Propane-1,2-diol, propoxylated | 330 mg/m | |
| 55406-53-6 | 3-lodo-2-propynylbutylcarbamate | 36 mg/m³ | |
| 121-44-8 | triethylamine | 170 ppm | |
| · PAC-3: | | · | |
| 34590-94-8 | Dipropylene glycol monomethyl ether | 9900** ppm | |
| 25265-77-4 | 2,2,4-Trimethyl-1,3-pentanediolmono(2-methylpropanoate) | 840 mg/m³ | |
| 7631-86-9 | silicon dioxide, chemically prepared | 4,500 mg/m | |
| 112-34-5 | 2-(2-butoxyethoxy)ethanol | 200 ppm | |
| 25322-69-4 | Propane-1,2-diol, propoxylated | 2,000 mg/m | |
| 55406-53-6 | 3-lodo-2-propynylbutylcarbamate | 220 mg/m³ | |
| 121-44-8 | triethylamine | 1,000 ppm | |

7 Handling and storage

- · Handling:
 - · Precautions for safe handling No special precautions are necessary if used correctly.
 - · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
 - · Storage:
 - · Requirements to be met by storerooms and receptacles:

Observe the label precautions, the expiration date for the use, if not indicated, is from delivery date of goods.

In cases where there is no reported expiration date, it means that the product must be used within 8 months.

Take on temperature greater than 5 ° C

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- Specific end use(s) Those typical of the product and the instructions in the data sheet if required.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
 - · Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

(Contd. on page 5)



Printing date 10/03/2018 Version number 24

Reviewed on 09/27/2018

Product number HTMB066

Trade name: KLIMA UNICO CLEAR 10SHN SELFSEAL

(Contd. of page 4)

34590-94-8 Dipropylene glycol monomethyl ether

PEL Long-term value: 600 mg/m³, 100 ppm

Skin

REL Short-term value: 900 mg/m³, 150 ppm

Long-term value: 600 mg/m³, 100 ppm

Skin

TLV Short-term value: 909 mg/m³, 150 ppm Long-term value: 606 mg/m³, 100 ppm

Skin

121-44-8 triethylamine

PEL Long-term value: 100 mg/m³, 25 ppm
TLV Short-term value: 4.14 mg/m³, 1 ppm
Long-term value: 2.07 mg/m³, 0.5 ppm

· Ingredients with biological limit values:

111-76-2 2-butoxyethanol

BEI 200 mg/g creatinine

Medium: urine Time: end of shift

Parameter: Butoxyacetic acid with hydrolysis

· Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

- · Personal protective equipment:
 - · General protective and hygienic measures:

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

- · Breathing equipment: Not required.
- · Protection of hands:



Protective gloves

Due to missing tests no recommendation to the glove material can be given for the product. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

The glove material has to be impermeable and resistant to the product .

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Goggles recommended during refilling.

-US



Printing date 10/03/2018 Version number 24 Reviewed on 09/27/2018

Product number HTMB066

Trade name: KLIMA UNICO CLEAR 10SHN SELFSEAL

(Contd. of page 5)

| Information on basic physical and chemi | cal properties | |
|---|--------------------------------|-------------------|
| · General Information | | |
| · Appearance: | | |
| · Form: | Fluid | |
| · Color: | According to product sp | ecification |
| · Odor: | Characteristic | |
| · Odor threshold: | Not determined. | |
| · pH-value: | Not determined. | |
| · Change in condition | | |
| · Melting point/Melting range: | Undetermined. | |
| · Boiling point/Boiling range: | 89 °C (192.2 °F) | |
| · Flash point: | 96 °C (204.8 °F) | |
| · Flammability (solid, gaseous): | Not applicable. | |
| · Ignition temperature: | 240 °C (464 °F) | |
| · Decomposition temperature: | Not determined. | |
| · Auto igniting: | Product is not selfigniting. | |
| · Danger of explosion: | Product does not present an e | explosion hazard. |
| · Explosion limits: | | |
| · Lower: | 1.1 Vol % | |
| · Upper: | 14 Vol % | |
| · Vapor pressure at 20 °C (68 °F): | 1.2 hPa (0.9 mm Hg) | |
| • Density (+/- 0,03) at 20 $^{\circ}C$ (68 $^{\circ}F$): | 1.024 g/cm³ (8.545 lbs/gal) | |
| · Relative density | Not determined. | |
| · Vapor density | Not determined. | |
| · Evaporation rate | Not determined. | |
| · Solubility in / Miscibility with | | |
| · Water: | Not miscible or difficult to n | nix. |
| · Partition coefficient (n-octanol/water): | Not determined. | |
| · Viscosity: | | |
| · Dynamic: | Not determined. | |
| Kinematic at 20 °C (68 °F): | 40 s (ISO 4 mm) | |
| · Oxidising properties: | N.A. | |
| · Solvent content: | | |
| · Water: | 70.2 % | |
| · VOC content: | 4.74 % | |
| | 48.5 g/l / 0.40 lb/gl | |
| · Solids content: | 25.0 % | |
| Other information (HAPS) | | 0.5.40/ |
| 112-34-5 2-(2-butoxyethoxy)ethanol | | 0.5-1% |
| 143-22-6 2-[2-(2-butoxyethoxy)ethoxy]ethal | nol | ≥0.1-<0.5 |
| 121-44-8 triethylamine | | ≥0.1-<0.5 |



Printing date 10/03/2018 Version number 24 Reviewed on 09/27/2018

Product number HTMB066

Trade name: KLIMA UNICO CLEAR 10SHN SELFSEAL

(Contd. of page 6)

· Other information

No further relevant information available.

10 Stability and reactivity

- · Reactivity typical of the product as indicated in the data sheet
 - · Chemical stability The product is stable in normal conditions of storage and use recommended
 - · Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
 - · Acute toxicity:

| · LD/LC50 values that are relevant for classification: | | | | |
|--|---|----------------------------------|--|--|
| 34590-94- | 34590-94-8 Dipropylene glycol monomethyl ether | | | |
| Oral | LD50 | 5,135 mg/kg (mouse) | | |
| Dermal | LD50 | 19,020 mg/kg (rabbit) | | |
| 111-76-2 | 2-butoxye | thanol | | |
| Oral | LD50 | 1,480 mg/kg (mouse) | | |
| Dermal | LD50 | 1,100 mg/kg (rab) | | |
| hydroxyp hydroxyp | Mixture of alpha-3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyl-omega-hydroxypoly(oxyethylene) and alpha-3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl) hydroxyphenyl)propionyl-omega-3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyloxypoly(oxyethylene) | | | |
| Oral | LD50 | 5,001 mg/kg (mouse) (OECD - 401) | | |
| Dermal | LD50 | 2,001 mg/kg (mouse) (OECD - 402) | | |
| 55406-53- | 6 3-lodo-2 | P-propynylbutylcarbamate | | |
| Oral | LD50 | 500 mg/kg (mouse) | | |
| Dermal | LD50 | 5,001 mg/kg (mouse) | | |
| 143-22-6 | 2-[2-(2-but | toxyethoxy)ethoxy]ethanol | | |
| Oral | LD50 | 5,171 mg/kg (mouse) | | |
| Dermal | LD50 | 3,540 mg/kg (rabbit) | | |
| 121-44-8 1 | 121-44-8 triethylamine | | | |
| Oral | LD50 | 730 mg/kg (mouse) | | |
| Dermal | LD50 | 580 mg/kg (rabbit) | | |
| Inhalative | LC50/4 h | 10.9 mg/l (mouse) | | |
| Primary irritant effect: | | | | |

- - on the skin: No irritant effect.
 - on the eye: No irritating effect.
- · Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:

Irritant

Contains Mixture of alpha-3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionylomega-hydroxypoly(oxyethylene) and alpha-3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4-

(Contd. on page 8)



Printing date 10/03/2018 Version number 24 Reviewed on 09/27/2018

Product number HTMB066

Trade name: KLIMA UNICO CLEAR 10SHN SELFSEAL

(Contd. of page 7)

hydroxyphenyl)propionyl-omega-3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl) propionyloxypoly(oxyethylene), 3-lodo-2-propynylbutylcarbamate, 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

Safety data sheet available on request.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer - Cl. 1 and 2)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

| · Aquatic t | oxicity: |
|--------------------------------------|---|
| 34590-94-8 | Dipropylene glycol monomethyl ether |
| EC50 | 970 mg/l (algae) (72 h) |
| | 1,919 mg/l (daphnia) (48 h) |
| LC50 (96h) | 1,001 mg/l (Fish) |
| 111-76-2 2- | butoxyethanol |
| EC50 | 1,840 mg/l (algae) (72 h) |
| | 1,550 mg/l (daphnia) (48 h) |
| LC50 (96h) | 1,474 mg/l (Fish) |
| hydroxypo hydroxyph propionylo | alpha-3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyl-omega- ly(oxyethylene) and alpha-3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4- enyl)propionyl-omega-3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl) xypoly(oxyethylene) |
| EC50 | 101 mg/l (algae) (72h) |
| | 4 mg/l (daphnia) (OECD linee guida 202 parte 1) |
| | 2.8 mg/l (Leuciscus idus melanotus) (OECD linee guida 203) |
| | 3-lodo-2-propynylbutylcarbamate |
| EC50 | 22 mg/l (algae) (72 h) |
| | 0.16 mg/l (daphnia) (48 h) |
| LC50 (96h) | 67 mg/l (Fish) |
| 143-22-6 2- | [2-(2-butoxyethoxy)ethoxy]ethanol |
| EC50 | 501 mg/l (daphnia) (48 h) |
| , , | 2,200 mg/l (Leuciscus idus melanotus) |
| | iethylamine |
| EC50 | 8 mg/l (algae) (72 h) |
| | 17 mg/l (daphnia) (48 h) |
| LC50 (96h) | 36 mg/l (Fish) |
| | a mixture of: 5-chloro-2-methyl-2 H -isothiazol-3-one [EC No 247-500-7] and 2-methyl-2 H -isothiazol-3-one [EC No 220-239-6] (3:1) |
| EC50 | 0.027 mg/l (algae) (72 h) |
| | (Contd. on page 9 |



Printing date 10/03/2018 Version number 24 Reviewed on 09/27/2018

Product number HTMB066

Trade name: KLIMA UNICO CLEAR 10SHN SELFSEAL

(Contd. of page 8)

0.16 mg/l (daphnia) (48 h)

LC50 (96h) 0.19 mg/l (Fish)

· Persistence and degradability No further relevant information available.

· Substances Easily biodegradable

34590-94-8 Dipropylene glycol monomethyl ether .

111-76-2 2-butoxyethanol

- Behavior in environmental systems:
 - · Bioaccumulative potential No further relevant information available.
 - · Mobility in soil No further relevant information available.
- Additional ecological information:
 - · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
 - · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Hand over to hazardous waste disposers.

Dispose of contents and container in accordance with local state and federal regulations.

- · Uncleaned packagings:
 - · Recommendation: Disposal must be made according to official regulations.

| UN-Number | | |
|--------------------------------------|-----------------|--|
| · DOT, ADN, IMDG, IATA | Not applicable | |
| UN proper shipping name | | |
| · DOT, ADN, IMDG, IATA | Not applicable | |
| Transport hazard class(es) | | |
| · DOT, ADR, ADN, IMDG, IATA | | |
| · Class | Not applicable | |
| Packing group | | |
| · DOT, IMDG, IATA | Not applicable | |
| Environmental hazards: | | |
| · Marine pollutant: | No | |
| Special precautions for user | Not applicable. | |
| Transport in bulk according to Annex | : II of | |
| MARPOL73/78 and the IBC Code | Not applicable. | |
| | | |



Printing date 10/03/2018

Version number 24

Reviewed on 09/27/2018

Product number HTMB066

Trade name: KLIMA UNICO CLEAR 10SHN SELFSEAL

(Contd. of page 9)

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

Requirements of Federal Register

· SARA

| | Section | n 355 (extremely hazardous substances): | | |
|------|---|---|-------------|--|
| None | None of the ingredients is listed. | | | |
| | · Section 313 (Specific toxic chemical listings): | | | |
| | | 2-butoxyethanol | 1-2.49% | |
| | | 2-(2-butoxyethoxy)ethanol | 0.5-1% | |
| | | 3-lodo-2-propynylbutylcarbamate | ≥0.1-<0.25% | |
| | | 2-[2-(2-butoxyethoxy)ethoxy]ethanol | ≥0.1-<0.5% | |
| 121 | 1-44-8 | triethylamine | ≥0.1-<0.5% | |

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

- · Proposition 65
 - · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

| · EP | A (Environmental Protection Agency) | | |
|--|--|----|---------|
| 111-76-2 | 2-butoxyethanol | NL | 1-2.49% |
| $\cdot TL$ | V (Threshold Limit Value established by ACGIH) | | |
| 111-76-2 | 2-butoxyethanol | | A3 |
| 121-44-8 | triethylamine | | A4 |
| MIOCH Co (Net on all restitute for Occurred and Cofety and Health) | | | |

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· National regulations:

The product is subject to be labeled according with the prevailing version of the regulations on hazardous substances.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: IVM Chemicals Srl
- · Contact: See emergency phone
 - · Date of preparation / last revision 10/03/2018 / 23
 - · Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods



Printing date 10/03/2018

Version number 24

Reviewed on 09/27/2018

Product number HTMB066

Trade name: KLIMA UNICO CLEAR 10SHN SELFSEAL

(Contd. of page 10)

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Flam. Liq. 2: Flammable liquids - Category 2

Flam. Liq. 4: Flammable liquids – Category 4 Acute Tox. 4: Acute toxicity – Category 4

Acute Tox. 2: Acute toxicity – Category 2

Acute Tox. 3: Acute toxicity – Category 3

Acute Tox. 3: Acute toxicity – Category 3

Skin Corr. 1A: Skin corrosion/irritation – Category 1A Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation — Category 1

Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A

Skin Sens. 1: Skin sensitisation - Category 1

Skin Sens. 1A: Skin sensitisation – Category 1A

STOT RE 1: Specific target organ toxicity (repeated exposure) - Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
Aquatic Acute 3: Hazardous to the aquatic environment - acute aquatic hazard – Category 3
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

· Sources

REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL and following amendments

Agency ECHA web site INRS Fiche Toxicologique

IARC International agency for research on cancer

* Data compared to the previous version altered.

US